

.



Linking food, nutrition and the environment in Indonesia

A perspective on sustainable food systems

Mulia Nurhasan^{1,2}, Yusuf Bahtimi Samsudin¹, John F McCarthy³, Lucentezza Napitupulu⁴, Rosita Dewi⁵, Dian N Hadihardjono⁶, Aser Rouw⁷, Kuntum Melati⁸, William Bellotti⁹, Rodri Tanoto¹⁰, Stuart J Campbell¹¹, Desy Leo Ariesta¹, M Hariyadi Setiawan¹², Ali Khomsan¹³ and Amy Ickowitz¹

Highlights

- This brief reviews the interlinkages between food, nutrition and the environment in Indonesia, and the role of national food policies in addressing the challenges in these sectors.
- While Indonesia is a mega-biodiverse country, nationally supported agricultural production
 programs tend to focus on a few high-value commodities, contributing to low dietary diversity.
- Lessons from past food estate programs suggest that food system interventions that focus heavily on increasing monocropping, especially rice production, overlook the capacity of local people to develop their own food systems, while failing to provide healthy diets, and damaging the environment.
- To move towards sustainable food systems, we argue that policies need to: focus on delivering healthy and diverse diets; support local food production practices that are environmentally sustainable; embrace local cultures and values; re-evaluate centralized and top-down policies; and avoid overly focusing on production of rice.
- Policies that decentralize and localize food production can enhance resilience and the sustainability of food systems.

¹ Center for International Forestry Research (CIFOR); 2 University of Copenhagen; 3 Australian National University (ANU); 4 World Resources Institute (WRI) Indonesia; 5 Indonesian Institute of Sciences (LIPI); 6 University of Indonesia; 7 Agency for Agricultural Research and Technology (BPTP) of West Papua Province; 8 Stockholm Environment Institute (SEI) Asia; 9 The University of Queensland; 10 Independent consultant; 11 Rare Indonesia; 12 EntreVA; 13 IPB University

Background

In recent years, Indonesia has become the tenth largest economy in terms of purchasing power parity and has made enormous progress in reducing poverty by more than half (World Bank 2020). However, Indonesia has only made halting progress towards achieving global nutrition targets¹ (Global Nutrition Report 2020). In 2018, over 30% of children under the age of five were stunted (having low height for their age), an indication of chronic undernutrition (Riskesdas 2018). Meanwhile, the rate of overweight and obese Indonesian adults increased from 19.1% in 2007 to 35.4% in 2018. Diet-related non-communicable diseases, like strokes, diabetes and hypertension also increased (Riskesdas 2018). As a result, Indonesia is now the largest country in the world facing the severe double burden of malnutrition, i.e. both under- and over-nutrition (Popkin et al. 2020a). Together such facts reveal that while Indonesia has been successful in achieving economic development, it has been less successful in improving the food security and nutrition of its citizens.

This poor performance in nutritional outcomes has coincided over recent decades with the degradation of Indonesia's rich natural resources, as food production has become less sustainable and as deforestation has facilitated the development of plantation agriculture. There are also significant problems with overfishing, food loss during distribution, water management, and the impacts of trade on the environment (Vermeulen et al. 2019; Austin et al 2019; CEA and Green 2018). This sees Indonesia ranking close to the bottom of the Food Sustainability Index² (BCFN 2020).

This brief reviews and provides perspectives on some of the key nutritional and environmental problems caused by Indonesia's food system and discusses the interlinkages between these two sets of challenges. Special attention is given to the impact of the country's rice-centred policy on its food security and nutrition, as well as the environment. The brief points to potential pathways for developing more sustainable food systems. Drawing on the lessons of unsuccessful topdown and 'magic bullet' approaches, we advocate for a more sustainable use of landscapes and biodiversity within food systems. We argue that, while a diversity of solutions is a prerequisite, special attention should be given to the 're-localization' of food systems in Indonesia, a strategy that has been overlooked in national food security and nutrition policies.

Key issues

Mega-diverse country with low dietary diversity

Being the largest archipelagic country in the world with more than 16,000 islands (Indonesia.go.id 2018), Indonesia has been categorized as a mega-diverse country (UNEP-WCMC 2020). Indonesia is blessed with a great variety of edible food sources, provided through its mega-biodiversity. For centuries, this biodiversity has provided diverse food rich in micronutrients for local diets (Gardjito et al. 2018). Indonesia's 3.5 million square kilometres of ocean provide more than 80% of its marine fish consumption (Vermeulen et al. 2019). Tropical warm water marine fish, like those found in Indonesia's marine waters, contain high concentrations of calcium, iron and zinc (Hicks et al. 2019). A study by the Ministry of Environment and Forestry showed that at least 100 types of carbohydrate, 100 legumes, 450 fruits and 250 vegetables and mushrooms were consumed in the country (MoEF 2006 in Walujo 2011). Indonesia has approximately 300 local cultivars of banana (Musaceae) (Poerba et al. 2018), and 208 native cultivars of mangoes (Fitmawati et al. 2010), with a wide range of colours, indicating different nutrient composition (Fitmawati et al. 2013).

Yet despite the high diversity found in Indonesia's agroecological systems, today's agricultural production tends to focus on a few high-value commodities and only a few high-yielding crop varieties. This limits the varieties of food available in the market, leaving hundreds of edible and nutritious species underutilized (IPBES 2019). Indonesia's increased consumption of fritters, noodles and sweets has made the country one of the world's largest importers of wheat and crystal sugar (FAO 2021). By contrast, consumption of healthy foods which can be provided by Indonesian biodiversity, such as green leafy vegetables, sago, fresh legumes and wild meat, decreased (Nurhasan et al. forthcoming³).

The marketing and consumption of industrially produced food like instant noodles and sugar-sweetened beverages contributes to the transition of Indonesian diets away from healthy traditional and wild foods (Pawera et al. 2020; Nurhasan et al. forthcoming³). Such a transition is associated with a rise in overweight and obese Indonesians, along with non-communicable diseases (Kelly 2016; Oddo et al. 2019; Popkin et al. 2020a), changing gut microbiota population (Wan et al. 2020), and even higher risk levels for Covid-19 infection (Popkin et al. 2020b). Nutritional transitions have also been linked to negative environmental impacts, like soil health, climate change, land stress and water scarcity (Gill et al. 2015; Bamberger et al. 2021).

¹ Out of seven indicators, Indonesia achieved progress on just two.

² The Food Sustainability Index measures the sustainability of food systems around three key issues: (i) food loss and waste, (ii) sustainable agriculture, and (iii) nutritional challenges.

³ The paper 'Changing food consumption patterns in Indonesia's most and least deforested areas' has been reviewed and in the process of publication.

Research has shown that dietary diversity, in other words the number of food groups consumed, is associated with better micronutrient adequacy (Steyn et al. 2006; Kennedy 2009; Arimond et al. 2010), and lower likelihood of child stunting (Mahmudiono et al. 2017). More recently, research has highlighted that the number of species consumed per day is also associated with better micronutrient adequacy. A study conducted by Lachat et al. (2018), using 24-hour recall data from rural areas in seven low-and-middleincome countries, found that for every additional species consumed, dietary nutrient adequacy increased. Evidence from aquatic food systems also suggests species and ecological functional diversity enhances nutritional benefits (Bernhardt and O'Connor 2021). This points to the need to explore nutritionsensitive agricultural and ecosystem conservation interventions, to improve nutritional outcomes in Indonesia.

Indonesia's Ministry of Agriculture uses Desirable Dietary Pattern (DDP) to understand the food groups consumed across the archipelago, and refers to this score to indicate national dietary diversity (Food Security Agency 2019). From 2013 to 2019, Indonesia's DDP score has increased from 81.4 to 90.8 (out of a maximum score of 100). According to this, diets of Indonesians are close to the maximum score in its composition of food variety, measured based on the proportion of the energy contribution of the various food groups (Food Security Agency 2019). However, studies using other methods to measure dietary diversity suggest a different trend. Household dietary diversity analysis using Indonesian Family Life Survey data shows that dietary diversity declined between 2000 and 2015 (Mehraban and Ickowitz 2021). The Overview of Food Security and Nutrition in the Asia and the Pacific region reported that approximately 46% of Indonesian children aged 6–23 months failed to attain minimum dietary diversity (FAO et al. 2021). The FAO has also suggested that Indonesian diets are poor in dietary diversity; Iow on protein and vitamins, but high in carbohydrates (FAO 2014). Comparing the DDP recommendations with those of EAT-Lancet shows that Indonesia's DDP recommends far too high calorie intake from cereals (56% as opposed to 34% of total calorie intake per day), which may partly explain why Indonesia, despite having an increasingly high DDP, scores Iow on dietary diversity (Arif et al. 2020).

Until recently, interventions to address malnutrition in Indonesia have focused on supplementation and fortification, with iodized-salt and iron-wheat fortification programs and iron-folic-acid and vitamin-A supplementation programs being conducted at a national scale (Soekirman and Jus'at 2017; WHO 2021). Although this approach may be costeffective (Baltussen et al. 2004), it also faces multiple challenges in terms of compliance, distribution and sustainability (Yip and Ramakrishnan 2002; Untoro et al. 2010; Gayer and Smith 2015). Despite a mass program providing iron tablet supplements, between 2013 and 2018 maternal anaemia increased from 37.1% to 48.9% (Riskesdas 2018). Indonesia's nutrition community has recognized some of these limitations, and policy is moving towards more holistic and multi-sectoral approaches. In the 2018 Stunting Summit, the Indonesian government formally called for a more integrated and multi-sectoral approach to tackle malnutrition (BAPPENAS 2018).



Figure 1. Local wisdom of agricultural land allotment with the *lodok* system in Flores, Manggarai Regency, East Nusa Tenggara Photo by KEHATI

Climate change and food production

Agriculture, forestry, fisheries, and food and beverage manufacturing, are important sectors for the Indonesian economy, contributing 19% of Indonesia's gross domestic product (BPS 2019). But these sectors are also the most significant contributors of greenhouse gas (GHG) emissions in Indonesia, caused directly by agricultural activities, and indirectly by food loss and waste, land-use change, peat and forest fires (MoEF 2015). Land-use change for food and plantations, particularly from peat and forest, is among the major drivers of fires in some areas of Indonesia (Dennis et al. 2005; Chammoro et al. 2017; Warren et al. 2017).

Climate change also affects agricultural production in Indonesia (Moediarta and Stalker 2007; Caruso et al. 2016), through the changing temperatures and rainfall that influence how crops are planted, grow and yield (Ruminta et al. 2018). In Indonesia, climate change is projected to decrease yields by 44% and leave 19 million people at risk of hunger by 2045 (ADB 2019). Climate variability is also linked with chronic and acute child malnutrition in Indonesia, where, during the prenatal period, monsoon season delays are associated with a reduced height of children aged 2-4 years (Thiede and Gray 2020). In Indonesian fisheries, meanwhile, climate change will affect the rise of sea levels and coastal water temperature, which eventually are expected to impact fish yields - the nation's most dominant source of animal protein (Rizal and Anna 2019). Efforts to boost fish and seafood production through aquaculture have contributed to the loss of 40% of Indonesian mangroves, which provide ecosystem services, including for food security (as fish spawning grounds) and climate change (as carbon storage) (see Murdiyarso et al. 2015).

Indonesia's rice-centred food policy

Indonesia's food policy framework is based on the FAO's four dimensions of food security –availability, accessibility, utilization and stability (UU 18/2012⁴). However, scholars have noted that policy applications tend to emphasize food availability and pay little attention to other dimensions (Neilson and Wright 2017). Following food shortages during the postindependence period, Indonesia's food policy under President Soekarno prioritized an increase in rice production to alleviate food insecurity and achieve national prosperity. Self-sufficiency in rice production was seen as critical for national security and an issue of national pride (Neilson and Wright 2017). President Soeharto pursued a green revolution strategy, focusing on new and better yielding varieties, infrastructure for irrigation and rural credit schemes. These policies successfully sought to avert food shortages and protect against price shocks in international markets by increasing rice yields. Indonesia briefly attained rice self-sufficiency in the 1980s (Djurfeldt et al. 2005). During the 1998 East Asian Crisis, the 2008 food price spike (Davidson 2018), and the current Covid-19 crisis (Media Indonesia 2020), the Indonesian government has continued to strengthen its commitment to stabilize food supply through boosting national rice production.

The heavy focus on rice production has important consequences for nutritional and environmental outcomes, however. The intensification of rice production is associated with increasing chemical use, which went unregulated until integrated pest management was introduced (Mariyono et al. 2010; Thorburn 2015). The conversion of wetlands to grow rice (and oil palm) monocultures can reduce access to wild foods and change biodiversity, as well as change the foods that are consumed by local communities (Purwestri et al. 2019; Partasasmita et al. 2020). Rice fields also emit significant amounts of methane (CH_{λ}) contributing to GHG emissions (Crippa et al. 2021), and rice production is particularly vulnerable to climate fluctuations and El Niño events (Naylor et al. 2007). In contrast, traditional food resources are less vulnerable to climate fluctuations (Bantacut 2014).

The policy to increase national rice production also focuses on just a small number of high-yielding varieties. By 1989–90, agricultural production was focused on just four internationally-bred rice varieties of IRRI (IR64, IR36, IR42 and IR46), and two Indonesian-bred varieties (Cisadane and Krueng Aceh), meaning that just six varieties accounted for all of the rice grown in almost all paddy fields in Indonesia (Fox 1993); this contrasts starkly with the more than 8,000 local paddy varieties that were once grown across the archipelago (Iskandar and Iskandar 2018). Research suggests that rice varieties may vary in terms of nutrient composition (Kennedy and Burlingame 2003), so reducing production to just a few varieties could also be reducing nutritional diversity, contributing to micronutrient deficiency (Demment et al. 2003). On top of this, after its decade of green revolution, Indonesia became vulnerable to pest resistance and disease outbreaks due to the loss of genetic diversity, putting national food security at risk (see Thorburn 2015).

When it comes to achieving food security, there are alternatives to developing large-scale monocultures of rice. Historically, rice was not an indigenous crop to Indonesia (Deng et al. 2020), and many of Indonesia's 1,300 ethnic groups cultivated other staple crops. For instance, indigenous people in Eastern Indonesia grew sago (Metroxylon sagu) and other staple foods more suitable for the ecosystem (Arif 2019). In Kalimantan and Sumatra, local communities also consumed sago (Charras

⁴ Law No. 18 Year 2012 on food: https://www.hukumonline. com/pusatdata/detail/lt50b48fe0bfe90/undang-undangnomor-18-tahun-2012

2016; Jong 2018). Many Indonesians living in the outer islands became rice consumers in the 1980s after the central government introduced the cetak sawah (paddy fields printing) program. This program converted land to rice cultivation in many parts of the country (Presidential Decree No. 54 Year 1980)⁵, and was associated with land grabbing in Papua (Dewi 2017). In the 1990s, more areas in eastern Indonesia became increasingly dependent on rice, after the national rice-based social assistance program (beras miskin or raskin) was established. Many locals now view rice as the preferred and more prestigious staple food (Delfi 2017).

Transitions away from traditional staples towards rice, may have health impacts. Sago has a lower glycaemic index than rice, and therefore, a better impact on blood glucose levels (Diyah et al. 2016; Syartiwidya et al. 2019). This is very important, considering that diabetes is an issue of increasing concern in Indonesia. Studies have found a strong association between high levels of white rice consumption and increased risk of diabetes (Hu et al. 2012). After the 2008 crisis, the government recommended a reduction in per capita rice consumption, and adopted policies to diversify staple foods beyond rice and wheat (Presidential Regulation No. 22 Year 20096 and Minister of Agriculture Decree No. 64.1/KPTS/ RC.110/J/12/20177). Despite these new policies illustrating changes in understanding around the over-reliance on rice in the Indonesian diet, national policies and perspectives on the production side do not seem to have changed - the expansion of rice fields has remained a government priority through the national food estate programs (Kamim and Altamaha 2019; Sutrisno 2020).

Transformation towards sustainable food systems

In recent years, policy communities have become increasingly interested in applying a food systems approach to food security and nutrition challenges. This approach facilitates an integrated assessment of highly complex interrelated issues, focusing on impacts and leverage points in different domains of the food system (Ingram and Zurek 2019). A food system approach combines all the elements (environment, people, inputs, processes, infrastructures, institutions, etc.) and activities that relate to the production, processing, distribution, preparation and consumption of food, and the outputs of these activities, including nutrition and health status, socioeconomic and environmental outcomes (HLPE 2014).

For a food system to be sustainable and equitable, it has to deliver food security and nutrition for all, in such a way that the economic, social and environmental bases to generate food security and nutrition for future generations are not compromised (Nguyen 2018). These ideas have been incorporated in the HLPE's (2020) update of the four food security dimensions discussed above, by the addition of two more dimensions - sustainability and agency. While the importance of sustainability has been well recognized in Indonesian policies partly through the adoption of UN Sustainable Development Goals, agency may be considered a new concept in Indonesian policy. Agency refers to the capacity of individuals or groups to make their own decisions about what foods they produce and eat, how the foods are produced, processed and distributed within food systems, and their ability to engage in processes that shape food system policies and governance (HLPE 2020). This is to assure the right to food for all people at all times, including marginalized communities and future generations. HLPE (2020) further recommends transformational shifts from exclusive, sectoral and 'one size fits all' policies, towards integrated, interconnected and contextual policies.

For Indonesia to move towards food systems that increase sustainability and strengthen agency, policies need to shift from overly focusing on the production of rice, to policies that focus on delivering healthy and diverse diets through sustainable food systems that embrace local cultures and values. Centralized and top-down policies could be re-evaluated, and gradually shifted towards more context-specific approaches that strengthen the agency of people to develop their own sustainable food systems (HLPE 2020). Food security needs to be defined in ways that move beyond the availability of the key staple food (rice), taking a more pluralistic approach that focuses on the diversity of foods necessary for healthy diets, as well as the other dimensions of food security - accessibility, utilization, sustainability, agency and stability.

Opportunities and challenges for transformation

Indonesian policymakers, such as the Directorate of Food and Agriculture at the Ministry of National Development Planning/the National Development Planning Agency (BAPPENAS), are working with other sectors, including nutrition, agriculture, fisheries and the environment, to support a shift from the traditional silo approach to a more integrated and connected food systems approach. The Directorate of Food Availability and Vulnerability in the Food Security Agency (BKP), Ministry of Agriculture, is developing an integrated information and assessment system to provide data

⁵ Presidential Decree concerning the cetak sawah policy: https:// peraturan.bpk.go.id/Home/Download/57664/Keppres No 54 TH 1980.pdf

⁶ Presidential Regulation concerning the policy to accelerate diversification of food consumption based on local resources: https://peraturan.bpk.go.id/Home/Details/42303/perpres-no-22-tahun-2009

⁷ Minister of Agriculture Decree, concerning technical instructions for the development of local food: http://bkp. pertanian.go.id/storage/app/media/informasi%20publik/ Pedoman/JUKNIS_P3L_TAHUN_2018.pdf

and information on food access and vulnerabilities, by involving various parties, such as Statistics Indonesia (BPS), the Ministry of Marine Affairs and Fisheries (KKP), and the Meteorological, Climatological and Geophysical Agency (BMKG) (Food Security Agency 2020). At local level, the government of Bandung City is working on Buruan Sae, an integrated urban farming programme to strengthen household food security (DKPP Kota Bandung 2020). Meanwhile in East Flores, the government has launched a programme called Gerobak Cinta or Love Wagon, where they distribute healthy and traditional supplementary food for children (Prabandari 2019). In addition to these governmental efforts, non-governmental institutions like the Koalisi Rakyat untuk Kedaulatan Pangan (KRKP), Konsorsium Pangan Bijak Nusantara, Yayasan Kehati, Hivos Indonesia, WWF Indonesia, Mantasa and other local organizations, are also working to support inclusivity, farmer prosperity and the localization of food systems, including sustainable consumption and production and sustainable diets for all.

At the beginning of the Covid-19 pandemic, proponents of sustainable food systems advocated for a transition towards more locally-based food systems by shortening food value chains as a logical option for an archipelagic country during lockdown.

Their arguments were supported by the multiple local initiatives that flourished during the pandemic, such as Panen Mart, Kampung Brenjonk, Papua Muda Inspiratif, and many more. These local initiatives work to support local farmers and food producers to market their products directly to end consumers (Nurhasan et al. 2020). At the same time there is evidence that, in response to the Covid-19 pandemic, local communities have shifted back to agriculture, and that policy in some areas of Indonesia have supported this shift, seeking to enhance the resilience of rural food systems (McCarthy et al. 2020). Interestingly, research in the fisheries sector in Indonesia has found that domestic supply chains were less impacted by the pandemic compared with export supply chains. This suggests that enhancement of domestic supplies through added value, market diversification and improved management may provide a buffer against external shocks (Bassett et al. 2021; Campbell et al. 2021).

In June 2020, in response to concerns over a food crisis resulting from Covid-19, the Indonesian government announced that it was going to develop a food estate project in Central Kalimantan Province, starting with 30,000 hectares in Pulang Pisau, with a target of 165,000 hectares by 2022 (Shofihara 2020). By September 2020, the President had announced



Figure 2. Failed past food estate in Central Kalimantan has left a mark of frequent peatland fire and haze, disrupting local people daily activities, hazarding people's health in the long term Photo by Aulia Erlangga/CIFOR

further expansion of this plan to include the provinces of Papua, East Nusa Tenggara (NTT) and South Sumatra (Ihsanuddin 2020). Meanwhile, the Ministry of Agriculture issued the 4 Cara Bertindak (Four Actions Strategy) policy, with the agenda of maintaining national food stocks (MoA 2020), including development of a food estate on Central Kalimantan land that was previously used for the Peatland Development Project (PLG) (Koran Tempo 2020). The Ministry of Environment and Forestry (KLHK) showed its support for this agenda, issuing regulation that permits state forests to be designated as Forest Areas for Food Security (Kawasan Hutan untuk Ketahanan Pangan, KHKP) in degraded 'protected forest' (hutan lindung) and 'production forest' (hutan produksi) areas. While, through the Forest Estate Release Mechanism (Mekanisme Pelepasan Kawasan Hutan), the state can now also allow forest areas to be re-classified as nonforest areas, and then converted to plantations or food estates (Ministerial Decree No. 24 Year 2020⁸).

A variety of critics have raised serious questions about the relevance of these political responses, with commentators highlighting that the proposed food estates promote rice cultivation in unsuitable areas, including highly sensitive peat areas that are subject to environmental degradation (Najiyati n.d; Arumningtyas et al. 2020; Sulaeman et al. 2021). The government has responded with assurances that it will use agroforestry approaches to grow more than rice (Ministerial Decree No. 24 Year 2020⁸). However, technical documents have yet to be made publicly available, raising concerns among human rights and environmental activists (Grain 2021). A news investigation report on the state audit board found that expansion of food estates was not supported by adequate planning, nor were farmers and their prospective land ready (Paskalis 2021).

Here the history of past Kalimantan food estates projects may offer valuable lessons for the future. Previous food estates in Kalimantan in the mid-1990s were not as successful as expected, because the agro-ecological conditions of the area do not favour large-scale rice production (Surahman et al. 2018). The use of heavy machinery disturbed the toxic pyrite layer in the peatland and dried it out, making it vulnerable to fire (Sumawinata 1992; Furukawa 2004). Subsequently forest and peat fires created haze problems (Collier 1979; Sabiham 2004). Peatland drainage led to land subsidence, frequent flooding and loss of agricultural land in coastal areas where the mineral soil is below sea level (Hooijer et al. 2012; Sutikno et al. 2017; Bassi et al. 2020). This mirrors exactly the recent flooding experienced in the newly-established food estate in Central Kalimantan (Sya'rawie 2021).

Food self-sufficiency strategies may benefit countries with large populations, high food insecurity, rich agricultural resources, and where the dominant staple food is traded globally by few suppliers (Clapp 2017). Indonesia falls into these categories; hence food selfsufficiency policies with respect to rice could potentially help to avert national food shortages (in terms of calories), should there be a shock in the international rice markets. However, on its own, a food production agenda provides a limited solution for assuring food and nutritional security. Policy needs to distinguish the challenge of achieving national production targets for key staples, from the necessity of ensuring that households in specific locations have access to nutritious food. Otherwise, the food estates program could achieve rice self-sufficiency at the national level, without addressing important nutritional security issues at the local level.

Food policy can take into account such questions of scale by addressing national agendas while also enhancing the capacity of the rural poor to access and utilize nutritious foods at the local level (McCarthy and Obidzinski 2017). This involves enabling smallholders to utilize their own assets to address food poverty and enhance their access to foods like green leafy vegetables and fresh legumes, which are critical for healthy diets but are being consumed less in recent years (Nurhasan at al. forthcoming). The national rice-based social assistance programs have assisted poorer Indonesians to gain access to calories. However, other policies are also required to support diverse smallholder production, which is positively correlated with dietary diversity and negatively correlated with young child linier stature (Jones 2017).

Research has shown that stunting can be high in intensive rice growing areas like lowland Aceh (McCarthy 2020) and Central Java (Purwestri et al 2018). In contrast, communities which still rely on more traditional staple foods have been found to be food secure (Saediman et al. 2019) and better nourished (Purwestri et al. 2019). Likewise, a focus on increasing rice yield without improving value chain management can be counterproductive, as seen with rice overstocks in Papua Province (Rhapsudyah 2020), and rice being wasted in cases of abundance (Eloksari 2019). Food system interventions that focus heavily on increasing rice production may fail to address the complex challenges of Indonesia's food systems, and overlook the lessons of past failures, subsequently exacerbating current food security, nutrition and environmental problems. Evidence that smaller farms are able to produce higher yields and harbour greater crop and non-crop biodiversity (Ricciardi et al. 2021), suggests that the government's intention to be a food sovereign nation can be achieved without implementing mega-projects with a top-down approach.

⁸ Minister of Environment and Forestry Regulation concerning the preparation of forest areas for food estate development: http://jdih.menlhk.co.id/uploads/files/P_24_2020_ PENYEDIAAN_KH_PEMBANGUNAN_FOOD_ESTATE_ menlhk_11092020081519.pdf

The way forward?

A diversity of solutions is a prerequisite to ensure the sustainability of food systems. However, we argue that policies supporting the re-localization of food systems in Indonesia merit particular attention, as such policies would encourage local people to regain power over their food systems at regional, provincial, regency and even community level. Practically speaking, policies can advance this agenda by supporting local agroecosystem practices, promoting traditional food cultures, prioritizing short and efficient food value chains, issuing provincial or regional dietary guidelines that match local contexts, re-orientating consumer preferences towards the great diversity of healthy local foods, and discouraging the expansion of unhealthy ultra-processed foods industries.

Many of Indonesia's native and endemic plant species that are adapted to local ecosystems could be further developed through research and investments. Sago (Metroxylon sagu), Borneo illipenut - locally known as tengkawang (Shorea spp.), mangosteen (Garcinia mangostana), Nipah (Nypa fruticans Wurmb), pineapple (ananas comosus), and banana (Musa paradisiaca) varieties are food-producing plants adapted to wet conditions or low-drainage peat swamp areas (Tata and Susmianto 2016; Uda et al. 2020). As these foods are more likely to be culturally familiar, the use of such plants in agroforestry systems is also more likely to be accepted by local farmers, provided that they increase farmers' livelihoods, food security and nutrition (Samsudin et al. 2020). Complex agroforestry systems can have physiognomy and structures similar to natural forests (de Foresta et al. 2000; Murniati 2020), thus avoiding debate over whether land should be used for forestry or food production. Such nature-positive solutions could improve community livelihoods as well as support food security and nutrition without sacrificing ecosystem health, and without the risks entailed in introducing alien species and agricultural systems that may not fit the physical characteristics of local ecosystems and social systems (Bantacut 2014; Trisia et al. 2016).

Re-localization of food systems can aim to increase fish consumption among children in coastal areas, including addressing the issue of why mothers delay feeding fish to their children. This responds to evidence that fish consumption is associated with better dietary diversity and lower stunting rates (Marinda et al. 2018; Dasgupta et al. 2021), and addresses issues seen in coastal areas like those around Komodo Island, where children under the age of five have high stunting rates due to low fish consumption (Gibson et al. 2020). Other studies demonstrate the positive impacts of forests on dietary diversity (Rasmussen et al. 2019), reduced rates of stunting (Rasolofoson et al. 2018) and physical activity (Dounias et al. 2007). A study found that Indigenous Peoples practicing traditional livelihood strategies like



Figure 3. Floating market in Martapura river, Banjarmasin, South Kalimantan (https://flic.kr/p/2hb78y4) Photo by Victor (CC BY-NC-ND 2.0)

swidden agriculture and the harvesting of wild foods ate more fruit, dark green leafy vegetables and fish than those who worked in oil palm plantations. Lower rates of anaemia were also seen among mothers in traditional households, compared with mothers working in oil palm (Purwestri et al. 2019). Regions with rich natural forest, like the islands of Papua and Kalimantan, should therefore be encouraged to include forests and wild foods in their food security and nutrition strategies, so as to improve the low consumption of vegetables, fruits and animal-source foods.

A policy shift towards sustainable food systems can provide for a more integrated approach. To this end, it is important to train and instil systemic systems thinking to policymakers in all institutions in Indonesia. Failure to do this may result in repeated mistakes: while trying to achieve one food security goal, policy may undermine other objectives. For example, NTT has sought to develop and expand kelor (Moringa oleifera)⁹ and poultry products as local commodities with nutritious potential to reduce under-nutrition (Rahayu and Nurindahsari 2019; Bere 2020; Jahang 2020). However this well-intentioned policy also caused the eviction of Pubabu-Besipae indigenous communities, including children and pregnant women (Kaha 2020;

⁹ Kelor or Moringa Oleifera, whose leaves and seeds have nutritive value, is resilient to severe environmental conditions (Gopalakrishnan et al. 2016). This plant is grown in NTT and has been promoted by the local government as a nutritious food to reduce stunting rate (Bere 2020).

Keda 2020)¹⁰. In a sustainable food system framework, these vulnerable individuals should be the actors whom the government empowers through food security and nutrition programs, not the victims.

BAPPENAS has developed plans for regional food systems and provided training regarding food system thinking to policymakers. The idea is to decentralize food and agriculture development in the archipelago into six 'food system regions' (Sumatra, Java, Kalimantan, Sulawesi, Papua and Bali-Sumba-Maluku-NTT), with each geographical area sharing food system similarities across that 'food system region'. Each region is mapped against its agricultural potential, and will have a food system to manage food planning, production, consumption, industry and secure stocks (Noegroho 2020). This is a great step towards the re-localization of food systems. The private sector can play an active role in supporting local communities to sustain native or adaptive food producing systems (Bellotti et al. 2018). Examples like Katingan Mentaya Project in Katingan Regency, Central Kalimantan - which combines restoration and carbon emission credits with the creation of livelihoods in coconut sugar production in the project buffer area (Katingan Mentaya Project 2021) – need to be mapped against these geographical 'food regions' and the food systems they champion. Albeit complicated, participation, engagement, and coordination between government, non-government, and private sector organizations will also be necessary. Uncovering existing practices and their champions is essential to complete information gaps and firm up what these regional food systems could look like in reality.

Conclusions

The issues of food, nutrition and the environment are closely interconnected in Indonesia and need to be explicitly linked in efforts to transition towards sustainable food systems. Macro-level policies that address food insecurity, such as those that promote rice self-sufficiency, also need to consider how these policies are likely to affect individual food choices, and the implications of these choices for nutrition and health. These policies should also be adopted with consideration of their likely impact on landscapes and biodiversity. This will almost certainly entail an approach that moves beyond a focus on a single commodity, and involves anticipating the impacts on the environment, local food cultures, and health and nutrition challenges.

Policies to rehabilitate local food cultures can be pursued alongside initiatives to prevent the poor food habits that are associated with expansion of the processed food industry. Lessons learned from previous projects suggest that incorporating the rich heritage of Indonesia's biodiversity, agricultural practices and food cultures into food policies will help to avoid the problems that arose from previous top-down and 'magic bullet' approaches. The lead planning and development agency and key civil society actors have a vision for moving towards a systemic approach to address the nation's food and nutrition challenges. With more than 16,000 islands and 1,300 ethnic groups, Indonesia's food system has multiple food cultures and practices to build upon. To transition towards sustainable food systems, Indonesia can embrace this diversity of local diets and agricultural practices, supporting local agents in using local resources, so as to develop context-appropriate solutions to the food security and nutrition challenges they face.

Acknowledgements

The authors would like to thank Linda Yuliani and Dominic Rowland (as internal reviewers) and Jarot Indarto, Jennifer Clapp and Edmond Dounias (as external reviewers), as well as colleagues at Forestry and Environment Research Development and Innovation Agency (FORDA), Ministry of Environment and Forestry, Republic of Indonesia, for their valuable comments made to previous versions of this document.

We also thank the following funding partners for enabling the co-authors to contribute to this work; MN, DLA, JFM, AI received funding from United States Agency for International Development (USAID) through different projects; MN also received funding from the Foreign, Commonwealth and Development Office (FCDO) of the UK Government; YBS was funded by the National Institute of Forest Science (NIFoS) – Republic of Korea; SJC was funded by Bloomberg Philanthropies and the Dutch Postcode Lottery; WB received funding from the Asia-Pacific Network for Global Change Research. This work forms part of the CGIAR Research Program (CRP) on Forests, Trees and Agroforestry (FTA).

References

[ADB] Asian Development Bank. 2019. Policies to Support Investment Requirements of Indonesia's Food and Agriculture Development during 2020– 2045. Metro Manila, Philippines: ADB. https://www. adb.org/publications/indonesia-food-agriculturedevelopment-2020-2045

¹⁰ In 1982, to facilitate Australian investors in poultry, the government rented an area from the Pubabu adat community until 2012. The government requested to extend this rental period, but the adat community refused. However, in 2013, a certificate for the right to use the land was issued on behalf of the government. In 2017, there were reports that some adat community members were assaulted and forced to sign an agreement letter and evict the land. In 2020, the local government evicted the indigenous communities to begin development of moringa and poultry farms, on the understanding that the land was theirs (Bere 2017; de Rosary 2020; Rachmawati 2020; Nahar 2021).

Arif A. 2019. Sagu Papua untuk Dunia. Indonesian edition. Jakarta: Kepustakaan Populer Gramedia.

- Arif S, Isdijoso W, Fatah AR and Tamyis AR. 2020. Strategic review of food security and nutrition in Indonesia: 2019–2020 Update. Jakarta: Smeru Research Institute. https://www.smeru.or.id/sites/ default/files/publication/rr_fsn_indonesia_finalreport_ eng.pdf
- Arimond M, Wiesmann D, Becquey E, Carriquiry A, Daniels MC, Deitchler M, Fanou-Fogny N, Joseph ML, Kennedy G, Martin-Prevel Y, et al. 2010. Simple food group diversity indicators predict micronutrient adequacy of women's diets in 5 diverse, resource-poor settings. Journal of Nutrition 140(11):2059S–2069S. https://doi.org/10.3945/jn.110.123414
- Arumningtyas L, Hariandja R and Saturi S. 30 September 2020. Food estate melaju di tengah banjir kritik. Mongabay. Accessed 20 January 2021. https:// www.mongabay.co.id/2020/09/30/food-estatemelaju-di-tengah-banjir-kritik/
- Austin KG, Schwantes A, Gu Y and Kasibhatla PS. 2019. What causes deforestation in Indonesia? Environmental Research Letters 14(2):024007. https://doi.org/10.1088/1748-9326/aaf6db
- Baltussen R, Knai C and Sharan M. 2004. Iron fortification and iron supplementation are cost-effective interventions to reduce iron deficiency in four subregions of the world. Journal of Nutrition 134(10):2678–84. https://doi. org/10.1093/jn/134.10.2678
- Bamberger M, Behrens P and Scherer L. 2021. Environmental impacts of the nutrition transition and potential hunger eradication in emerging countries. Sustainability Science 16:565–79.
- Bantacut T. 2014. Indonesian staple food adaptations for sustainability in continuously changing climates. Journal of Environment and Earth Science 4(21):202–16. https://www.researchgate.net/ publication/280534438_Indonesian_Staple_Food_ Adaptations_For_Sustainability_in_Continuously_ Changing_Climates
- [BCFN] Barilla Center for Food and Nutrition. 2020. Country profiles: Indonesia. Palma, Italy: BCFN. Accessed 15 January 2021. https:// foodsustainability.eiu.com/country-profile/id/
- [BAPPENAS] Badan Perencanaan dan Pembangunan Nasional. 28 March 2018. Stunting summit: Komitmen bersama turunkan prevalensi stunting di Indonesia. Jakarta: BAPPENAS. https://www.bappenas.go.id/id/ berita-dan-siaran-pers/stunting-summit-komitmenbersama-turunkan-prevalensi-stunting-di-indonesia/
- Bassett HR, Lau J, Giordano C, Suri SK, Advani S and Sharan S. 2021. Preliminary lessons from Covid-19 disruptions of small-scale fishery supply chains. World Development 143:105473. https://doi. org/10.1016/j.worlddev.2021.105473_

Bassi AM, Kieft J, Boer E, Kari TMA, Wulandari E and Forslund L. 2020. Applying systems analysis to evaluate options for sustainable use of peatlands in Central Kalimantan in Indonesia. In Apiah-Opoku S, ed. Land Use Change and Sustainability. London: IntechOpen. https://doi.org/10.5772/intechopen.77843

- Bellotti W, Lestari E and Fukofuka K. 2018. A food systems perspective on food and nutrition security in Australia, Indonesia and Vanuatu. In Barling D and Fanzo J, eds. Advances in Food Security and Sustainability. Amsterdam: Elsevier. 1–51. https://www.sciencedirect.com/science/article/pii/ S2452263518300090
- Bere SM. 10 February 2020. Tanaman kelor jadi solusi gubernur NTT tekan kasus stunting. Kompas. Accessed 9 March 2021. https://regional.kompas. com/read/2020/02/10/10364751/tanaman-kelorjadi-solusi-gubernur-ntt-tekan-kasus-stunting
- Bernhardt JR and O'Connor MI. 2021. Aquatic biodiversity enhances multiple nutritional benefits to humans. PNAS 118(15):e1917487118. https://doi. org/10.1073/pnas.1917487118
- [BPS] Badan Pusat Statistik. 2019. Statistik Indonesia 2019. Jakarta: BPS. https://www.bps.go.id/ publication/2019/07/04/daac1ba18cae1e90706ee58a/ statistik-indonesia-2019.html
- Campbell SJ, Jakub R, Valdivia A, Setiawan H, Setiawan A, Cox C, Kiyo A, Darman, Djafar LF, de la Rosa E, et al. 2021. Immediate impact of Covid-19 across tropical small-scale fishing communities. Ocean & Coastal Management 200:105485. https:// doi.org/10.1016/j.ocecoaman.2020.105485
- Caruso R, Petrarca I and Ricciuti R. 2016. Climate change, rice crops, and violence: Evidence from Indonesia. Journal of Peace Research 53(1)66–83. https://doi.org/10.1177/0022343315616061
- [CEA] California Environmental Associates and Green SJ. 2018. Wild fisheries and aquaculture. In California Environmental Associates. Trends in Marine Resources and Fisheries Management in Indonesia: A 2018 Review. San Fransisco, California: California Environmental Associates. https:// www.packard.org/wp-content/uploads/2018/08/ Indonesia-Marine-Full-Report-08.07.2018.pdf
- Chammoro A, Minnemeyer S and Sargent S. 2017. Exploring Indonesia's long and complicated history of forest fires. Washington DC: World Research Institute. Accessed 4 March 2021. https://www. wri.org/insights/exploring-indonesias-long-andcomplicated-history-forest-fires
- Charras M. 2016. Feeding an ancient harbour-city: Sago and rice in the Palembang hinterland. Bulletin de l'Ecole française d'Extrême-Orient 102:97–123. https://doi.org/10.3406/befeo.2016.6232
- Clapp J. 2017. Food self-sufficiency: Making sense of it, and when it makes sense. Food Policy 66:88–96. https://doi.org/10.1016/j.foodpol.2016.12
- Collier WL. 1979. Social and economic aspects of tidal swamp land development in Indonesia. Occasional Paper No. 15. Canberra: Australia National University.
- Crippa M, Solazzo E, Guizzardi D, Monforti-Ferrario F, Tubiello FN and Leip A. 2021. Food systems are responsible for a third of global anthropogenic GHG

emissions. Nature Food 2:198–209. https://doi. org/10.1038/s43016-021-00225-9

- Dasgupta S, Mustafa G, Paul T and Wheeler D. 2021. The socioeconomics of fish consumption and child health: An observational cohort study from Bangladesh. World Development 137:105201. https://doi.org/10.1016/j.worlddev.2020.105201
- Davidson JS. 2018. Then and now campaigns to achieve rice self-sufficiency in Indonesia. Bijdragen tot de Taal-, Land- en Volkenkunde 174:188–215. https://brill. com/view/journals/bki/174/2-3/article-p188_2.xml
- De Foresta H, Kusworo A, Michon G and Djatmiko WA. 2000. Ketika Kebun Berupa Hutan: Agroforest Khas Indonesia Sebuah Sumbangan Masyarakat. Bogor, Indonesia: International Centre for Research in Agroforestry; France: Institut de Recherche pour le Développement; Jakarta: Ford Foundation.
- Delfi M. 2017. Food sovereignty of communities in the margins of the nation: Staple food and politics in Mentawai, West Sumatra. Advances in Social Science, Education and Humanities Research 108:160-65. https://www.atlantis-press.com/ proceedings/soshec-17/25893193
- Demment MW, Young MM and Sensenig RL. 2003. Providing micronutrients through foodbased solutions: A key to human and national development. American Society for Nutritional Sciences 133(11 Suppl 2):3879S–3885S. https://doi. org/10.1093/jn/133.11.3879S
- Deng Z, Hung HC, Carson MT, Oktaviana AA, Hakim B and Simanjuntak T. 2020. Validating earliest rice farming in the Indonesian archipelago. Scientific Reports 10:10984. https://doi.org/10.1038/s41598-020-67747-3
- Dennis RA, Mayer J, Applegate G, Chokkalingam U, Colfer CJP, Kurniawan I, Lachowski H, Maus P, Permana RP, Ruchiat Y, et al. 2005. Fire, people and pixels: Linking social science and remote sensing to understand underlying causes and impacts of fires in Indonesia. Human Ecology 33(4):465–504. https://doi. org/10.1007/s10745-005-5156-z
- Dewi R. 2017. Hijacking adat recognition through the establishment of new customary community council in Papua, Indonesia. Asia & the Pacific Policy Studies 4(3):555–68. https://doi.org/10.1002/app5.193
- Diyah NW, Ambarwati A, Warsito GM, Niken G, Heriwiyanti ET, Windysari R, Prismawan D, Robi'atul FH and Purwanto P. 2016. Evaluasi kandungan glukosa dan indeks glikemik beberapa sumber karbohidrat dalam upaya penggalian pangan berindeks glikemik rendah. *Jurnal Farmasi dan Ilmu* Kefarmasian Indonesia 3(2):67–73. https://scholar. google.com/scholar?hl=en&as_sdt=0%2C5&q=Evaluas i+Kandungan+Glukosa+Dan+Indeks+Glikemik+Bebera pa+Sumber+Karbohidrat+Dalam+Upaya+Penggalian+ Pangan+Ber-Indeks+Glikemik+Rendah&btnG=
- Djurfeldt G, Holmen H, Jirström M and Larsson R. 2005. The African Food Crisis: Lessons from the Asian Green Revolution. Oxfordshire, England: CABI publishing.

- [DKPP Kota Bandung] Dinas Ketahanan Pangan dan Pertanian Kota Bandung. 2020. Buruan SAE: Integrated urban farming. Bandung City: DKPP Kota Bandung. Accessed 19 May 2021. https:// buruansae.bandung.go.id/
- Dounias E, Selzner A, Koizumi M and Levang P. 2007. From sago to rice, from forest to town: The consequences of sedentarization for the nutritional ecology of punan former hunter-gatherers of Borneo. Food and Nutrition Bulletin 28(2):s294–s302. https:// doi.org/10.1177/15648265070282S208
- Eloksari EA. 6 December 2019. Bulog finds 20,000 tons of rotten rice. The Jakarta Post. Accessed 9 March 2021. https://www.thejakartapost.com/ news/2019/12/04/bolog-finds-20000-tons-of-rottenrice-another-100000-tons-in-poor-condition.html
- [FAO] Food and Agriculture Organization. 2021. FAOSTAT. Rome: FAO. Accessed 10 February 2021. http://www.fao.org/faostat/en/#rankings/ countries_by_commodity_imports
- [FAO] Food and Agriculture Organization. 2014. Indonesia: Food and security nutrition profiles. Rome: FAO. http://www.fao.org/3/at707e/at707e.pdf
- [FAO, UNICEF, WFP and WHO] Food and Agriculture Organization, United Nations Children's Fund, World Food Programme and the World Health Organization. 2021. Asia and the Pacific Regional Overview of Food Security and Nutrition 2020: Maternal and Child Diets at The Heart of Improving Nutrition. Bangkok: FAO. https://www. unicef.org/eap/reports/asia-and-pacific-regionaloverview-food-security-and-nutrition-2020
- Fitmawati, Suwita A, Sofiyanti N and Herman. 2013. Eksplorasi dan karakterisasi keanekaragaman plasma nutfah mangga (mangifera) di Sumatera Tengah. Presentation, Faculty of Math and Science, University of Lampung, 10–12 May 2013. Lampung, Indonesia: University of Lampung. https://jurnal.fmipa.unila.ac.id/semirata/article/ view/688
- Fitmawati, Hartana A and Purwoko BS. 2010. Diversity of Indonesian mango (mangifera indica) cultivars based on morphological and RAPD markers. SABRAO Journal of Breeding and Genetics 42(2):84-95. https://ei-ado.aciar.govau/ sites/default/files/FitmawatieEtAI(2010
- Fox JJ. 1993. Ecological policies for sustaining high production in rice: Observations on rice intensification in Indonesia. In Brookfield H and Byron Y, eds. South-East Asia's Environmental Future the Search for Sustainability. Kuala Lumpur, Malaysia: Oxford University Press. https://archive.unu.edu/unupress/ unupbooks/80815e/80815E0m.htm
- Furukawa H. 2004. The ecological destruction of coastal peat wetlands in insular Southeast Asia.
 In Furukawa H, Nishibuchi M, Kono Y and Kaida Y, eds. Insular Southeast Asia; Ecological Destruction, Health, And Development: Advancing Asian Paradigms. Kyoto, Japan: Kyoto University Press.

31-72. https://repository.kulib.kyoto-u.ac.jp/dspace/ bitstream/2433/49767/2/Furukawa2004a2.pdf

- Gardjito M, Djuwardi A and Harmayani E. 2018. Pangan Nusantara: Karakteristik dan Prospek Untuk Percepatan Diversifikasi Pangan. Jakarta: kencana. https://play.google.com/books/reader?id=tWX-MDwAAQBAJ&printsec=frontcover&pg=GBS. PA13#v=onepage&g&f=false
- Gayer J and Smith G. 2015. Micronutrient fortification of food in Southeast Asia: Recommendations from an expert workshop. Nutrients 7(1):646–658. https://doi.org/10.3390/nu7010646
- Gibson E, Stacey N, Sunderland TCH and Adhuri DS. 2020. Dietary diversity and fish consumption of mothers and their children in fisher households in Komodo District, eastern Indonesia. *PLoS One* 15(4):e0230777. https://doi.org/10.1371/journal. pone.0230777
- Gill M, Feliciano D, Macdiarmid J and Smith P. 2015. The environmental impact of nutrition transition in three case study countries. Food Security 7:493– 504. https://doi.org/10.1007/s12571-015-0453-x
- Global Nutrition Report. 2020. 2020 Global Nutrition Report: Action on Equity to End Malnutrition. Bristol, UK: Development Initiatives. https:// globalnutritionreport.org/reports/2020-globalnutrition-report/
- Grain. 4 March 2021. Menelan hutan Indonesia. Jakarta: Grain Indonesia. Accessed 9 March 2021. https://grain.org/en/article/6630-menelan-hutanindonesia
- Hicks CC, Cohen PJ, Graham NAJ, Nash KL, Allison EH, D'Lima C, Mills DJ, Roscher M, Thilsted SH, Thorne-Lyman AL, et al. 2019. Harnessing global fisheries to
- tackle micronutrient deficiencies. Nature 574:95–98. https://doi.org/10.1038/s41586-019-1592-6
- [HLPE] High Level Panel of Experts. 2020. Food security and nutrition: Building a global narrative towards 2030. Rome: HLPE. http://www.fao.org/3/ ca9731en/ca9731en.pdf
- [HLPE] High Level Panel of Experts. 2014. Food losses and waste in the context of sustainable food systems. Rome: HLPE. http://www.fao.org/fileadmin/ user_upload/hlpe/hlpe_documents/HLPE_S_and_R/ HLPE_2014_Food_Losses_and_Waste_Summary_ EN.pdf
- Hooijer A, Page S, Jauhiainen J, Lee WA, Lu XX, Idris A and Anshari G. 2012. Subsidence and carbon loss in drained tropical peatlands. Biogeosciences 9(3):1053– 71. https://doi.org/10.5194/bg-9-1053-2012
- Hu EA, Pan A, Malik V and Sun Q. 2012. White rice consumption and risk of type 2 diabetes: Metaanalysis and systematic review. BMJ 344:e1454. https://doi.org/10.1136/bmj.e1454
- Ihsanuddin. 23 September 2020. Jokowi akan tambah lokasi "food estate" di Sumsel, NTT, dan Papua. Kompas. Accessed 20 January 2021. https:// nasional.kompas.com/read/2020/09/23/11233051/ jokowi-akan-tambah-

- Indonesia.go.id. 2018. Pulau-pulau itu punya nama. Jakarta: Indonesia.go.id. Accessed 23 February 2021. https://indonesia.go.id/ragam/budaya/ kebudayaan/pulau-pulau-itu-punya-nama
- Ingram J and Zurek M. 2019. Food systems approaches for the future. In Serraj R and Pingali P, eds. Agriculture & Food Systems to 2050: Global Trends, Challenges, Opportunities. Singapore: World Scientific Publishing. 547–68. https://www.worldscientific.com/ doi/pdf/10.1142/11212#page=564
- [IPBES] Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. 2019. Global Assessment Report on Biodiversity and Ecosystem Services of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. Bonn, Germany: IPBES. https://ipbes.net/globalassessment
- Iskandar J and Iskandar BS. 2018. Etnoekologi, biodiversitas padi dan modernisasi budidaya padi: Studi kasus pada masyarakat baduy dan kampung naga. Jurnal Biodjati 3(1):47–62. https://journal.uinsgd. ac.id/index.php/biodjati/article/download/2344/1711
- Jahang B. 19 February 2020. Budidaya ayam kampung untuk cegah kekerdilan. Antara News. Accessed 3 May 2021. https://kupang.antaranews. com/berita/28854/budidaya-ayam-kampung-untukcegah-kekerdilan
- Jones AD. 2017. Critical review of the emerging research evidence on agricultural biodiversity, diet diversity, and nutritional status in low-and middleincome countries. Nutrition Reviews 75(10):769–82. https://doi.org/10.1093/nutrit/nux040
- Jong FS. 2018. An Overview of Sago Industry Development, 1980s–2015. In Ehara H, Toyoda Y, Johnson D, eds. Sago Palm. Singapore: Springer. 75–89. https://doi.org/10.1007/978-981-10-5269-9_6
- Kaha K. 17 October 2020. Kasus di Besipae dinilai ketidakmampuan pemprov NTT selesaikan konflik. Antara News. Accessed 9 March 2021. https:// www.antaranews.com/berita/1788701/kasus-dibesipae-dinilai-ketidakmampuan-pemprov-nttselesaikan-konflik#mobile-nav
- Kamim ABM and Altamaha R. 2019. Modernization without development of food estate projects in Bulungan and Merauke. *Bhumi* 5(2):163–79. https:// doi.org/10.31292/jb.v5i2.368
- Katingan Mentaya Project. 2021. Jakarta: Katingan Mentaya Project Accessed 9 March 2021. https:// katinganproject.com/impacts/2/community
- Keda O. 22 August 2020. Walhi NTT kecam penggusuran rumah warga Besipae. Liputan6. Accessed 9 March 2021. https://www.liputan6. com/regional/read/4336367/walhi-ntt-kecampenggusuran-rumah-warga-besipae
- Kelly M. 2016. The nutrition transition in developing Asia: Dietary change, drivers and health impacts. In Jackson P, Spiess W, Sultana F, eds. Eating, Drinking: Surviving. SpringerBriefs in Global Understanding.

Singapore: Springer. 83–90. https://link.springer. com/chapter/10.1007/978-3-319-42468-2_9

- Kennedy GL. 2009. Evaluation of dietary diversity scores for assessment of micronutrient intake and food security in developing countries [Doctoral Thesis]. Wageningen, Netherlands: Wageningen University. https://edepot.wur.nl/14551
- Kennedy G and Burlingame B. 2003. Analysis of food composition data on rice from a plant genetic resources perspective. Food Chemistry 80:589–96. https://doi.org/10.1016/s0308-8146(02)00507-1
- Koran Tempo. 6 May 2020. BRG mulai petakan lahan gambut untuk pertanian. Koran Tempo. Accessed 20 January 2021. https://koran.tempo.co/read/ ekonomi-dan-bisnis/452504/brg-mulai-petakanlahan-gambut-untuk-pertanian
- Lachat C, Raneria JE, Smitha KW, Kolsterena P, Van Dammec P, Verzelenc K, Penafielc D, Vanhovec W, Kennedy G, Hunter D, et al. 2018. Dietary species richness as a measure of food biodiversity and nutritional quality of diets. PNAS 115(1):127–32. https://doi.org/10.1073/pnas.1709194115
- Mahmudiono T, Sumarmi MS and Rosenkranz RR. 2017. Household dietary diversity and child stunting in East Java, Indonesia. Asia Pacific Journal of Clinical Nutrition 26(2):317–25. https://doi. org/10.6133/apjcn.012016.01
- Marinda PA, Genschick S, Khayeka-Wandabwa C, Kiwanuka-Lubinda and Thilsted SH. 2018. Dietary diversity determinants and contribution of fish to maternal and under-five nutritional status in Zambia. PLoS One 13(9):e0204009. https://doi.org/10.1371/ journal.pone.0204009
- Mariyono J, Kompas T and Grafton RQ. 2010. Shifting from green revolution to environmentally sound policies: Technological change in Indonesian rice agriculture. Journal of The Asia Pacific Economy 15(2):128–47. https://doi. org/10.1080/13547861003700109
- McCarthy JF. 2020. The paradox of progressing sideways: Food poverty and livelihood change in the rice lands of outer island Indonesia. Journal of Peasant Studies 47(5):1077–97. https://doi.org/10.1 080/03066150.2019.1628021
- McCarthy JF, Winarto YT, Sitorus H, Kutanegara PM and Budianto V. 2020. Covid-19 and food systems in Indonesia. In Robins L, Crimp S, Van Wensveen M, Alders RG, Bourke RM, Butler J, Cosijn M, Davila F, Lal A, McCarthy JF, et al, eds. Covid-19 and Food Systems in the Indo-Pacific: An Assessment of Vulnerabilities, Impacts and Opportunities for Action. Canberra: Australian Centre for International Agricultural Research. 41–92. https://aciar.gov.au/ publication/Covid19/4-Covid-19-and-food-systemsindonesia
- McCarthy JF and Obidzinski K. 2017. Framing the food poverty question: Policy choices and livelihood consequences in Indonesia. Journal of Rural Studies 1(54):344–54. https://doi.org/10.1016/j. jrurstud.2017.06.004

- Media Indonesia. 12 June 2020. Mentan all out gerakan ketahanan pangan nasional. Media Indonesia. Accessed 4 February 2021. https:// mediaindonesia.com/ekonomi/320136/mentan-allout-gerakan-ketahanan-pangan-nasional
- Mehraban N and Ickowitz A. 2021. Dietary diversity of rural Indonesian households declines over time with agricultural production diversity even as incomes rise. Global Food Security 28:100502. https://doi.org/10.1016/j.gfs.2021.100502
- [MoA] Ministry of Agriculture. 2020. Gerakan ketahanan pangan pada masa pandemi Covid-19. Jakarta: Pusat Sosial Ekonomi dan Kebijakan Pertanian. http:// pse.litbang.pertanian.go.id/ind/index.php/Covid-19/ program-kegiatan/367-gerakan-ketahanan-panganpada-masa-pandemi-Covid-19
- Moediarta R and Stalker P. 2007. The Other Half of Climate Change: Why Indonesia Must Adapt to Protect Its Poorest People. Jakarta: UNDP Indonesia. https://www.preventionweb.net/ files/8336_indexAction.pdf
- [MoEF] Ministry of Environment and Forestry. 2015. Indonesia first biennial update report. Jakarta: MoEF. https://unfccc.int/resource/docs/natc/idnbur1.pdf
- [MoEF] Ministry of Environment and Forestry. 2006. Status lingkungan hidup Indonesia. In Walujo EB. Keanekaragaman Hayati untuk pangan. Presentation, Kongres Ilmu Pengetahuan X, 8–10 November 2011. Jakarta. Indonesia: Lembaga Ilmu Pengetahuan Indonesia. http://www.opi.lipi.go.id/data/1228964432/ data/13086710321320841770.makalah.pdf
- Murdiyarso D, Purbopuspito J, Kauffman JB, Warren MW, Sasmito SD, Donato DC, Manuri S, Krisnawati H, Taberima S and Kurnianto S. 2015. The potential of Indonesian mangrove forests for global climate change mitigation. Nature Climate Change 5:1089– 1092. https://doi.org/10.1038/NCLIMATE2734
- Murniati. 2020. Orasi pengukuhan professor riset bidang teknologi agroforestry: Penguatan teknologi agroforestry selama daur dalam pengelolaan hutan berbasis masyarakat. Presentation, Kementerian Lingkungan Hidup dan Kehutanan, 11 November 2020. Bogor, Indonesia: IPB Press. https://www. forda-mof.org/content/publikasi/post/728
- Najiyati S. nd. Megenal perilaku lahan gambut. Bogor, Indonesia: Wetland International Indonesia. Accessed 20 January 2021. https://www.wetlands. or.id/PDF/Flyers/Agri04.pdf
- Naylor RL, Battisti DS, Vimont DJ, Falcon WP and Burke MB. 2007. Assessing risks of climate variability and climate change for Indonesian rice agriculture. PNAS 104(19):7752–57. https://doi. org/10.1073/pnas.0701825104
- Neilson J and Wright J. 2017. The state and food security discourses of Indonesia: Feeding the bangsa. Geographical Research 55(1). https://doi. org/10.1111/1745-5871.12210
- Nguyen H. 2018. Sustainable food systems: Concept and framework. Rome: FAO. http://www.fao.org/3/ ca2079en/CA2079EN.pdf

- Noegroho A. 2020. Arah pembangunan pangan dan pertanian pasca pandemi. Presentation, Bappenas, 1 July 2020. Jakarta: Bappenas. http://pse.litbang. pertanian.go.id/ind/pdffiles/B-42_Materi%20 Anang%20MS%20Molejono-Bappenas.pdf
- Nurhasan M, Setiawan MH and Miranda. 5 May 2020. Global pandemic needs local solutions for sustainable food systems. The Jakarta Post. Accessed 18 January 2021. https://www.thejakartapost.com/ academia/2020/05/05/global-pandemic-needs-localsolutions-for-sustainable-food-systems.html.
- Oddo VM, Maehara M and Jee HR. 2019. Overweight in Indonesia: An observational study of trends and risk factors among adults and children. *BMJ* Open 9(9):e031198. https://doi.org/10.1136/ bmjopen-2019-031198
- Partasasmita R, Cahyani NT and Iskandar J. 2020. Local knowledge of the community in Cintaratu Village, Pangandaran, Indonesia on traditional landscapes for sustainable land management. *Biodiversitas* 21(8):3606-16. https://doi.org/10.13057/biodiv/ d210825
- Paskalis Y. 20 February 2021. Proyek pangan yang gagal. Koran Tempo. Accessed 9 March 2021. https:// koran.tempo.co/read/berita-utama/462493/proyekcetak-sawah-yang-gagal
- Pawera L, Khomsan A, Zuhud EAM, Hunter D, Ickowitz A and Polesny Z. 2020. Wild food plants and trends in their use: From knowledge and perceptions to drivers of change in West Sumatra, Indonesia. Foods 9(1240):1–22. https://doi.org/10.3390/foods9091240
- Poerba YS, Martanti D, Ahmad F, Herlina, Handayani T and Witjaksono. 2018. Deskripsi Pisang: Koleksi Pusat Penelitian Biologi LIPI. Jakarta: LIPI. https://e-service.lipipress.lipi.go.id/press/catalog/ view/181/170/346-1%22%20/
- Popkin BM, Corvalan C and Grummer-Strawn LM. 2020a. Dynamics of the double burden of malnutrition and the changing nutrition reality. Lancet 395(10217):65–74. https://doi.org/10.1016/S0140-6736(19)32497-3
- Popkin BM, Du S, Green WD, Beck MA, Algaith T, Herbst CH, Alsukait RF, Alluhidan M, Alazemi N, Shekar M. 2020b. Individuals with obesity and Covid-19: A global perspective on the epidemiology and biological relationships. Obesity Reviews 21:e13128. https://doi.org/10.1111/obr.13128
- Prabandari PD. 31 August 2019. Battling stunting in East Flores. Tempo. Accessed 19 May 2021. https:// en.tempo.co/read/1242247/battling-stunting-in-eastflores
- Purwestri RC, Powell B, Rowland D, Wirawan NN, Waliyo E, Lamanepa M, Habibie Y and Ickowitz
 A. 2019. From growing food to growing cash: Understanding the drivers of food choice in the context of rapid agrarian change in Indonesia.
 Infobrief No. 263. Bogor, Indonesia: CIFOR. https:// doi.org/10.17528/cifor/007360
- Purwestri RC, Barati Z, Wirawan NN, Fahmi II, Lawai J and Scherbaum V. 2018. What explains stunting among children living in a rice surplus area in Central Java, Indonesia? In Niehof A, Gartaula HN, and

Quetulio Navarra M, eds. Diversity and Change in Food Wellbeing: Cases from Southeast Asia and Nepal. Wageningen, the Netherlands: Wageningen Academic Publishers. 137–51. https://www. wageningenacademic.com/doi/abs/10.3920/978-90-8686-864-3_7

- Rahayu TB and Nurindahsari YAW. 2019. Peningkatan status gizi balita melalui pemberian daun kelor (moringa oleifera). Jurnal Kesehatan Madani Medika 9(2):97–91. https://www. jurnalmadanimedika.ac.id/index.php/JMM/article/ view/14/6
- Rasmussen LV, Fagan ME, Ickowitz A, Wood SLR, Kennedy G, Powell B, Baudron F, Gergel S, Jung S, Smithwick EAH et al. 2020. Forest pattern, not just amount, influences dietary quality in five African countries. Global Food Security 25:100331. https:// doi.org/10.1016/j.gfs.2019.100331
- Rasolofoson R, Hanauer MM, Pappinen A, Fisher B and Ricketts T. 2018. Impacts of forests on children's diet in rural areas across 27 developing countries. Science Advances 4(8):eaat2853. https:// doi.org/10.1126/sciadv.aat2853
- Rhapsudyah K. 29 September 2020. Beras tidak terserap, aliansi petani padi merauke lakukan demo damai. Suara Merauke. Accessed 9 March 2021. https://suara.merauke.go.id/post/2068/beras-tidakterserap-aliansi-petani-padi-merauke-lakukandemo-damai.html%22%20/
- Ricciardi V, Mehrabi Z, Wittman H, James D and Ramankutty N. 2021. Higher yields and more biodiversity on smaller farms. Nature Sustainability 25:1–7. https://doi.org/10.1038/s41893-021-00699-2
- [Riskesdas] Riset Kesehatan Dasar. 2018. Hasil utama Riskesdas 2018. Jakarta: Health Research and Development Agency. https://www.litbang.kemkes. go.id/hasil-utama-riskesdas-2018/
- Rizal A and Anna Z. 2019. Climate change and its possible food security implications toward Indonesian marine and fisheries. World News of Natural Sciences 22:119–128. http://yadda.icm. edu.pl/yadda/element/bwmeta1.element.agroe303250f-f51b-47b0-b935-b8917d2aa8dc/c/ WNOFNS-22-2019-119-128-1.pdf
- Ruminta, Handoko and Nurmala T. 2018. Decreasing of paddy, corn and soybean production due to climate change in Indonesia. Journal of Agronomy 17(1):37–47. https://doi.org/10.3923/ja.2018.37.47
- Sabiham S. 2004. Ecological issue of the mega-rice project in Indonesia: A case study of swampland development in Central Kalimantan. In Furukawa H, Nishibuchi M, Kono Y and Kaida Y. Insular Southeast Asia; Ecological Destruction, Health, And Development: Advancing Asian Paradigms. Kyoto: Kyoto University Press. 73–87. https://repository. kulib.kyoto-u.ac.jp/dspace/bitstream/2433/49767/2/ Furukawa2004a2.pdf
- Saediman H, Aisa S, Zani M and Yusria WO. 2019. Food security status of households in a cassavagrowing village in Southeast Sulawesi, Indonesia.

Journal of Agricultural Extension 23(1):199-209. https://doi.org/10.4314/jae.v23i1.17

- Samsudin YB, Puspitaloka D, Rahman SA, Chandran A, Baral H. 2020. Community-based peat swamp restoration through agroforestry in Indonesia. In Dagar JC, Gupta SR, Teketay D, eds. Agroforestry for Degraded Landscapes. Singapore: Springer. 349-65. https://doi.org/10.1007/978-981-15-4136-0_12
- Shofihara IA. 9 October 2020. Jokowi: kawasan food estate di kalteng akan digarap seluas 168.000 hektar. Kompas. Accessed 20 January 2021. https://money. kompas.com/read/2020/10/09/120706426/jokowikawasan-food-estate-di-kalteng-akan-digarap-seluas-168000-hektar?page=all.
- Soekirman and Jus'at I. 2017. Food fortification in Indonesia. Malaysian Journal of Nutrition 23(1):1–7. https://nutriweb.org.my/mjn/publication/23-1/a.pdf
- Steyn NP, Nel JH, Nantel G, Kennedy G and Labadarios D. 2006. Food variety and dietary diversity scores in children: Are they good indicators of dietary adequacy? Public Health Nutrition 9(5):644–50. https://doi.org/10.1079/PHN2005912
- Sulaeman D, Hapsari RD, Ayunda D, Hutajulu DA, Prakoso A, Putra S and Subarkah A. 17 March 2021. 3 jenis kategori lahan gambut yang perlu dihindari untuk program "food estate" Jakarta: World Resource Institute Indonesia. Accessed 20 January 2021. https:// wri-indonesia.org/id/node/43946
- Sumawinata B. 1992. Adaptive agricultural practices and land use cycles on pyritic sediments in South Kalimantan. Southeast Asian Studies 30(1):93–104. https://core.ac.uk/download/pdf/39190379.pdf
- Surahman A, Soni P and Shivakoti GP. 2018. Are peatland farming systems sustainable? Case study on assessing existing farming systems in the peatland of Central Kalimantan, Indonesia. Journal of Integrative Environmental Sciences 15(1):1–19. https://doi.org/10.1080/1943815X.2017.1412326
- Sutikno S, Sandhyavitri A, Haidar M, Yamamoto K. 2017. Shoreline change analysis of peat soil beach in Bengkalis island based on GIS and RS. Journal of Engineering and Technology 9(3):233–8. https://doi. org/10.7763/IJET.2017.V9.976
- Sutrisno E. 16 June 2020. Food estate untuk hasil pertanian melimpah dan konektivitas. Indonesia.go.id. Accessed 4 February 2021. https://indonesia.go.id/ narasi/indonesia-dalam-angka/ekonomi/food-estateuntuk-hasil-pertanian-melimpah-dan-konektivitas
- Sya'rawie MM. 18 February 2021. Lahan food estate di kalteng terendam banjir. Bisnis. Accessed 9 March 2021. https://kalimantan.bisnis.com/ read/20210218/407/1357778/lahan-food-estatedi-kalteng-terendam-banjir
- Syartiwidya, Martianto D, Sulaeman A, Tanziha I, Rimbawan. 2019. Preference for sago and nutrient intake among communities consuming sago in Kepulauan Meranti District, Riau Province, Indonesia. Jurnal Gizi dan Pangan 14(2):91–8. https://doi. org/10.25182/jgp.2019.14.2.91-98
- Tata HL and Susmianto A. 2016. Prospek Paludikultur Ekosistem Gambut Indonesia. Bogor: FORDA Press.

http://puslitbanghut.or.id/index.php/berita/2016/08/01/ Prospek-Paludikultur-Ekosistem-Gambut-Indonesia-Publikasi-terbaru-Pusat-Litbang-Hutan

- Thiede BC and Gray C. 2020. Climate exposures and child undernutrition: Evidence from Indonesia. Social Science and Medicine 265:113298. https://doi. org/10.1016/j.socscimed.2020.113298
- Thorburn C. 2015. The rise and demise of integrated pest management in rice in Indonesia. *Insects* 6:381–408. https://doi.org/10.3390/insects6020381
- Trisia MA, Metaragakusuma AP, Osozawa K and Bai H. 2016. Promoting sago palm in the context of national level: Challenges and strategies to adapt to climate change in Indonesia. International Journal Sustainable Future for Human Security 4(2):54–63. https://doi. org/10.24910/jsustain/4.2/5463
- Uda SK, Hein L and Adventa A. 2020. Towards better use of Indonesian peatlands with paludiculture and low-drainage food crops. Wetlands Ecology Management 28:509–526. https://doi.org/10.1007/s11273-020-09728-x
- [UNEP-WCMC] United Nations Environment Programme World Conservation Monitoring Centre. 2020. Megadiverse countries. Accessed 8 April 2020. https://www.biodiversitya-z.org/content/ megadiverse-countries
- Untoro J, Timmer A and Schultink W. 2010. The challenges of iodine supplementation: A public health programme perspective. Best Practice & Research Clinical Endocrinology & Metabolism 24(1):89–99. https://doi.org/10.1016/j.beem.2009.08.011
- Vermeulen S, Wellesley L, Airey S, Singh S, Agustina R, Izwardy D and Saminarsih D. 2019. Healthy Diets from Sustainable Production: Indonesia. London: Chatam House. https://www.chathamhouse. org/2019/01/healthy-diets-sustainable-productionindonesia
- Wan Y, Tang J, Li J, Li J, Yuan J, Wang F and Li D. 2020. Contribution of diet to gut microbiota and related host cardiometabolic health: Diet-gut interaction in human health. Gut Microbes 11:(3)603–9. https://doi.org/10.10 80/19490976.2019.1697149
- Warren M, Frolking S, Dai Z and Kurnianto S. 2017. Impacts of land use, restoration, and climate change on tropical peat carbon stocks in the twentyfirst century: Implications for climate mitigation. Mitigation and Adaptation Strategies for Global Change 22:1041–61. https://doi.org/10.1007/ s11027-016-9712-1
- [WHO] World Health Organization. 2021. Nutrition landscape information system (NLiS). Geneva: WHO. Accessed 13 February 2021. https://apps.who.int/ nutrition/landscape/report.aspx?iso=IDN
- World Bank. 2020. The World Bank in Indonesia: Overview. Washington: World Bank. Accessed 15 January 2021. https://www.worldbank.org/en/ country/indonesia/overview
- Yip R and Ramakrishnan U. 2002. Experiences and challenges in developing countries. Journal of Nutrition 132(4):827s–830s. https://doi.org/10.1093/ jn/132.4.827S



Captions and Photo Credits

Front Cover (from left to right):

- 1. Fresh fern (locally known as *pakis*) leaves from Kalimantan Forest, handpicked by local people for daily meal (Photo by: Icaro Cooke Vieira/CIFOR)
- 2. Dryland rice from North Kalimantan (Photo by: Sopian Hadiwijaya)
- 3. Fresh vegetables on sale at local food stall in conservation district of Pegunungan Arfak, West Papua Province (Photo by: Research and Development Agency of West Papua Province)
- 4. Purple corn harvested in Hokeng, East Flores, is one of the local corn in the region (red, white, and yellow corns are also local varieties) (Photo by: KEHATI)
- 5. Colourful sorghums, locally known as Watablolo, grown in Adonara, East Flores, East Nusa Tenggara (Photo by: KEHATI)
- 6. A basket of colourful forest fruits in North Kalimantan (Photo by: Tezza Napitupulu)
- 7. Tropical fruits from Sangihe Island Regency, North Sulawesi (Photo by: KEHATI)
- 8. Freshwater fish caught from the river of Kalimantan (Photo by: Aulia Erlangga/CIFOR)
- 9. Red fruit (locally known as buah merah or Pandanus coinodeus), known to be rich in vitamin A and anti-oxidant substances (Photo by: Manuel Boissière/CIRAD and CIFOR)
- 10. On sale for home meal: Parrot fish captured by small scale fishers using traps in Panggang Island, Jakarta (Photo by: Mohamad Susanto)

Back Cover:

Forest in misty mountain of Halimun-Salak National Park (Photo by: Mokhamad Edliadi/CIFOR)



The CGIAR Research Program on Forests, Trees and Agroforestry (FTA) is the world's largest research for development program to enhance the role of forests, trees and agroforestry in sustainable development and food security and to address climate change. CIFOR leads FTA in partnership with ICRAF, the Alliance of Bioversity International and CIAT, CATIE, CIRAD, INBAR and TBI.

FTA's work is supported by the CGIAR Trust Fund: cgiar.org/funders/



cifor.org

forestsnews.cifor.org



Center for International Forestry Research (CIFOR)

CIFOR advances human well-being, equity and environmental integrity by conducting innovative research, developing partners' capacity, and actively engaging in dialogue with all stakeholders to inform policies and practices that affect forests and people. CIFOR is a CGIAR Research Center, and leads the CGIAR Research Program on Forests, Trees and Agroforestry (FTA). Our headquarters are in Bogor, Indonesia, with offices in Nairobi, Kenya; Yaounde, Cameroon; Lima, Peru and Bonn, Germany.

